## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# ALLENDALE \* NEW JERSEY

Telephone: Allendale 3260

#### WHOLESALE PRICE LIST SPRING, 1932



LOCATION—Railroad: Main Line, Erie Railroad. Auto: 8 miles north of Paterson, N. J., on the Franklin Turnpike. Route 2

Members: EASTERN NURSERYMEN'S ASSOCIATION NEW JERSEY ASSOCIATION OF NURSERYMEN

GRAFTED STOCK	10	100
		<i>100</i> \$40.00
ACER dissectum atropurpureum (Cutleaf Japanese Maple) palmatum atropurpureum (Bloodleaf Japanese Maple)		35.00
BIOTA aurea nana (Berckman's Golden)	3.00	25.00
conspicua aurea		25.00
elegantissima	3.00	25.00
semperaurescens (Evergolden)	3.50	25.00
Cedrus atlantica glauca		50.00
Cryptomeria lobbi compacta.	3.50	30.00
Cornus florida rubra	3.50	30.00
Cupressus lawsonia (Triumph of Boskoop)	3.50	25.00
lawsonia alumi		25.00
Fagus sylvatica heterophylla	4.50	40.00
evlyatica riversi	4.50	40.00
sylvatica riversisylvatica pendula (Weeping Beech)	5.00	45.00
sylvatica tricolor	6.00	50.00
JUNIPER chinensis	3.00	25.00
chinensis albovariegata		25.00
chinensis columnaris glauca		25.00
chinensis neaboriensis		25.00
chinensis oblanga		25.00
chinensis sargenti glauca		25.00
squamata		25.00
squamata meyeri		25.00
squamata variegata	3.00	25.00
virginiana burki	3.00	25.00
virginiana cannarti		25.00
virginiana elegantissima Lee	3.00	25.00
virginiana globosa	3.00	25.00
virginiana glauca		25.00
virginiana schotti	3.00	25.00
Magnolia halleana stellata		50.00
lennei		50.00
nigra		50.00
soulangeana		50.00
Picea pungens glauca kosteri		50.00
pungens glauca moerheimi		55.00
pungens glauca kosteri pendula		60.00
inverta pendula		60.00
orientalis		50.00
excelsa nidiformis		50.00
excelsa gregoriana	6.50	55.00
RETINOSPORA filifera aurea	3.00	25.00
obtusa grippsi	3.00	25.00
obtusa aurea youngi	3.00	25.00
obtusa gracilis	3.00	25.00
obtusa nana gracilis	3.00	25.00
Taxus media hicksi	4.50	40.00
ovata	4.50	40.00
Thuja lobbi atrovirens	3.00	25.00
lutea, Geo. Peabody	3.00	25.00
rosenthali	3.00	25.00
standishi	3.00	25.00
Tsuga sargenti (Weeping Hemlock)	5.00	45.00



#### Suggestions for the Care of Grafted Stock

UR PLANTS are grafted on transplanted understock supplied out of 2½ inch and 2½ inch pots and are well hardened before shipment. This stock should be planted in beds the first year and shaded with lath screen giving about 50 per cent sunlight. Beds should be covered with peat moss after planting and enough water used to keep soil moist at all times. By doing this, the plants will make growth and transplant to the nursery rows the following year without loss.

MAC-SCHMIDT NURSERIES

#### GRAFTED STOCK

Kept in Frames for One Season

	10	100
Acer dissectum atropurpureum	\$5.00	
palmatum atropurpureum	4.50	40.00
palmatum atropurpureum, 2 yr. grafts, 4 in. pots	. 7.00	65.00
Cornus florida rubra		40.00
CRYPTOMERIA lobbi compacta	4.50	40.00
Cupressus lawsoniana (Triumph of Boskoop)		35.00
lawsoniana alumi		35.00
Fagus sylvatica riversi		45.00
sylvatica pendulasylvatica pendula	5.50	50.00
JUNIPERUS chinensis columnaris glauca		35.00
chinensis sargenti glauca	4 00	35.00
squamata	4 = 0	35.00 40.00
squamata meyeri		40.00
squamata variegata		35.00
virginiana burki		40.00
virginiana elegantissima Lee		35.00
virginiana glauca		60.00
soulangeana		60.00
nigra	7 00	65.00
Picea pungens glauca kosteri.	/ 50	60.00
excelsa nidiformis		55.00
Pinus cembra.	F 00	45.00

## ROOTED EVERGREEN CUTTINGS

One and Two Year Potted Strong	Plants 100	1000
Juniperus depressa plumosa	\$12.00	\$100.00
pfitzeriana	12.00	100.00
chinensis stricta	12.00	100.00
chinensis argentea variegata	12.00	100.00
horizontalis douglasi (Hill Waukegan)	12.00	100.00
communis horizontalis douglasi (green)	12.00	100.00
communis aurea	12.00	100.00
communis depressa (Vase-shaped)	12.00	100.00
hudsonica	12.00	
Retinospora plumosa lutescens	10.00	90.00
plumosus sulphurea	10.00	
pisifera aurea (from beds)	8.00	
filifera aurea	12.00	
_ squarrosa nana		
Taxus repanden (one year in beds)	-12 in. 20.00	180.00
Thuja pyramidalis (from beds)	8.00	
Little Gem (from beds)	8.00	
hoveyi (from beds)	8.00	

### AZALEAS, ERICAS, ETC.

10 100 .	1000
Azalea amoena	20.00
	60.00
(0: 1 400 2500	
hinodegiri, bushy plants	80.00
hinodegiri	25.00
	80.00
	60.00
mollis, one year seedling	15.00
	00.00
	25.00
kaempferi, seedlings	15.00
	80.00
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
0 1 1 (0 1 1 1 1 ) 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
D 11 1 21/1 127 10 00	
. 1 1 1 0 10 1 4 1 2 00 27 00	
. 1 1 1: 20 24 : 4 :	
77 1 1 1 1 1 1 2 1 4 7 0	
10 13 1 100 20 00	
12 15 4 50 25 00	
	85.00
. 1	



TIELLO GROWN   10   100   100   100   100   100   101   10	FIELD GROWN	STOCK	*0	
chinensis stricta.				
Chinensis				
Squamata				
RETINOSPORA flifera aurea   10-14 in   5.50   50.00				
Squarrosa veitchi	RETINOSPORA filifera aurea	10-14 in.	5.50	
Thuja occidentalis pyramidalis.				
hoveyi   8-10 in, 4,50   40,00   lutea   12-14 in, 5,50   50,00   rosenthali   12-14 in, 6,00   55,00   55,00   Taxus cuspidata, 2 year in field   12-18 in, 2,50   20,00   baccata repandens, 2 year in field   12-18 in, 2,50   20,00   baccata washingtonia   12-15 in, 13,00   125,00   pungens glauca kosteri   15-18 in, 25,00   pungens glauca kosteri, 2 years in frame   8,50   80,00   pungens glauca moerheimi, 2 years in frame   8,50   80,00   100   10000   10000   10000   10000   10000   10000   10000   10000   10000   10000   10000	pisifera aurea	14-18 in.		
Lutea				
Tosenthali				
Taxus cuspidata, 2 year in field				
baccata repandens, 2 year in field.	Taxus cuspidata 2 year in field	12-18 in		
Daccata washingtonia   12-15 in   13 00   125.00	baccata repandens, 2 year in field.	8-12 in.		
Picea pungens glauca kosteri   2 years in frame   8.50   8.000   pungens glauca moerheimi, 2 years in frame   8.50   80.00   1000   1				
pungens glauca kosteri, 2 years in frame				
ABIES concolor, seedlings	pungens glauca kosteri, 2 years in frame.		8.50	80.00
ABIES concolor, seedlings	pungens glauca moerheimi, 2 years in fran	ne		
Picea excelsa, seedlings   3-4 in. 1.00   8.00		4.6		
PINUS excelsa, seedlings   3 in. 1.25   10.00	ABIES concolor, seedlings			
Ball and Burlap, Delivered by Truck Only Each 10				
Ball and Burlap, Delivered by Truck Only Each 10	FINUS excelsa, seedlings	J in.	1.25	10.00
Ball and Burlap, Delivered by Truck Only Each 10	EVERGREENS FOR (	ORNAMEN	IT	
BIOTA orientalis   3-4 ft. \$1.10 \$10.00     conspicua aurea   31/2-4 ft. 3.50 32.50     CRYPTOMERIA lobbi compacta   3-4 ft. 4.00 35.00     JUNIPERUS chinensis   5-6 ft. 5.00 45.00     chinensis albovariegata   21/2-3 ft. 3.00 25.00     chinensis stricta   12-15 in. 60 5.00     chinensis stricta   15-18 in. 65 6.00     chinensis stricta   2-21/2 ft. 2.25 20.00     squamata   3 ft. spread   2.50 22.50     squamata meyeri   11/2-2 ft. 2.75 25.00     virginiana   5-6 ft. 3.50 30.00     virginiana glauca   5-6 ft. 4.50 42.50     virginiana schotti   5-6 ft. 4.50 42.50     communis depressa plumosa   1-11/2 ft. 1.25 10.00     RETINOSPORA obtusa crippsi   2-21/2 ft. 3.00 22.50     obtusa gracilis   2-21/2 ft. 3.00 22.50     obtusa gracilis   18-24 in. 70 6.50     PINUS mugho   12-18 in. 80 7.50     mugho   8-12 in. 60 5.50     PICEA excelsa   21/2-3 ft. 90 8.50     THUJA occidentalis   20-24 in. 45 4.00     occidentalis   20-24 in. 45 4.00     occidentalis   3-4 ft. 1.10 10.00     lobbi atrovirens   21/2-3 ft. 1.35 12.50     globosa   3-115 in. 55 5.00     standishi   18-24 in. 1.10 10.00     TAXUS baccata washingtoni   15-18 in. 1.60 15.00				10
CRYPTOMERIA lobbi compacta       3-4 ft. 4.00 35.00         JUNIPERUS chinensis       5-6 ft. 5.00 45.00         chinensis albovariegata       21/2-3 ft. 3.00 25.00         chinensis stricta       12-15 in. 60 5.00         chinensis stricta       15-18 in. 65 6.00         chinensis stricta       2-21/2 ft. 2.25 20.00         squamata       3 ft. spread. 2.50 22.50         squamata meyeri       11/2-2 ft. 2.75 25.00         virginiana       5-6 ft. 3.50 30.00         virginiana glauca       5-6 ft. 4.50 42.50         virginiana schotti       5-6 ft. 4.50 42.50         communis depressa plumosa       1-11/2 ft. 1.25 10.00         RETINOSPORA obtusa crippsi       2-21/2 ft. 3.00 22.50         obtusa gracilis       2-21/2 ft. 3.00 22.50         squarrosa veitchi       18-24 in. 70 6.50         PINUS mugho       12-18 in. 80 7.50         mugho       8-12 in. 60 5.50         PICEA excelsa       21/2-3 ft. 90 8.50         THUJA occidentalis       20-24 in. 45 4.00         occidentalis       3-4 ft. 1.10 10.00         lobbi atrovirens       21/2-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi       18-24 in. 1.10 10.00         TAXUS baccata washingtoni       15-1				
CRYPTOMERIA lobbi compacta       3-4 ft. 4.00 35.00         JUNIPERUS chinensis       5-6 ft. 5.00 45.00         chinensis albovariegata       21/2-3 ft. 3.00 25.00         chinensis stricta       12-15 in. 60 5.00         chinensis stricta       15-18 in. 65 6.00         chinensis stricta       2-21/2 ft. 2.25 20.00         squamata       3 ft. spread. 2.50 22.50         squamata meyeri       11/2-2 ft. 2.75 25.00         virginiana       5-6 ft. 3.50 30.00         virginiana glauca       5-6 ft. 4.50 42.50         virginiana schotti       5-6 ft. 4.50 42.50         communis depressa plumosa       1-11/2 ft. 1.25 10.00         RETINOSPORA obtusa crippsi       2-21/2 ft. 3.00 22.50         obtusa gracilis       2-21/2 ft. 3.00 22.50         squarrosa veitchi       18-24 in. 70 6.50         PINUS mugho       12-18 in. 80 7.50         mugho       8-12 in. 60 5.50         PICEA excelsa       21/2-3 ft. 90 8.50         THUJA occidentalis       20-24 in. 45 4.00         occidentalis       3-4 ft. 1.10 10.00         lobbi atrovirens       21/2-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi       18-24 in. 1.10 10.00         TAXUS baccata washingtoni       15-1	BIOTA orientalis	3-4 ft.	φ1.10 a	
JUNIPERUS chinensis         5-6 ft.         5.00 45.00           chinensis albovariegata         2½-3 ft.         3.00 25.00           chinensis stricta         12-15 in.         60 5.00           chinensis stricta         15-18 in.         65 6.00           chinensis stricta         2-2½ ft.         2.25 20.00           squamata         3 ft. spread.         2.50 22.50           squamata meyeri         1½-2 ft.         2.75 25.00           virginiana         5-6 ft.         3.50 30.00           virginiana schotti         5-6 ft.         4.50 42.50           communis depressa plumosa         1-1½ ft.         1.25 10.00           RETINOSPORA obtusa crippsi         2-2½ ft.         3.00 22.50           obtusa gracilis         2-2½ ft.         3.00 22.50           squarrosa veitchi         18-24 in.         70 6.50           PINUS mugho         12-18 in.         60 5.50           PICEA excelsa         2½-3 ft.         90 8.50           THUJA occidentalis         20-24 in.         45 4.00           occidentalis         3-4 ft.         110 10.00           lobbi atrovirens         2½-3 ft.         35 7.50           standishi         18-24 in.         1.00 15.00           TAX	Conspicua aurea	3 / f+	4.00	
chinensis albovariegata       2/2-3 ft.       3.00       25.00         chinensis stricta       12-15 in.       .60       5.00         chinensis stricta       15-18 in.       .65       6.00         chinensis stricta       2-21/2 ft.       2.25       20.00         squamata       3 ft. spread.       2.50       22.50         squamata meyeri       11/2-2 ft.       2.75       25.00         virginiana       5-6 ft.       3.50       30.00         virginiana schotti       5-6 ft.       4.50       42.50         communis depressa plumosa       1-11/2 ft.       1.25       10.00         RETINOSPORA obtusa crippsi       2-21/2 ft.       3.00       22.50         obtusa gracilis       2-21/2 ft.       3.00       22.50         squarrosa veitchi       18-24 in.       .70       6.50         PINUS mugho       12-18 in.       .80       7.50         mugho       8-12 in.       .60       5.50         THUJA occidentalis       20-24 in.       .45       4.00         occidentalis       20-24 in.       .45       4.00         occidentalis       3-4 ft.       1.10       10.00         lobbi atrovirens       21/2-3 ft. </td <td>LINIBERUS chineneis</td> <td>5-6 ft</td> <td></td> <td></td>	LINIBERUS chineneis	5-6 ft		
chinensis stricta       12-15 in.       .60       5.00         chinensis stricta       15-18 in.       .65       6.00         chinensis stricta       2-2½ ft.       2.25       20.00         squamata       3 ft. spread.       2.50       22.50         squamata meyeri       1½-2 ft.       2.75       25.00         virginiana       5-6 ft.       3.50       30.00         virginiana glauca       5-6 ft.       4.50       42.50         virginiana schotti       5-6 ft.       4.50       42.50         communis depressa plumosa       1-1½ ft.       1.25       10.00         RETINOSPORA obtusa crippsi       2-2½ ft.       3.00       22.50         obtusa gracilis       2-2½ ft.       3.00       22.50         squarrosa veitchi       18-24 in.       .70       6.50         PINUS mugho       12-18 in.       .80       7.50         mugho       8-12 in.       .60       5.50         THUJA occidentalis       20-24 in.       .45       4.00         occidentalis       2-3 ft.       .85       7.50         occidentalis       3-4 ft.       1.10       10.00         lobbi atrovirens       2½-3 ft.       1.35 <td>chinensis albovariegata</td> <td>21/2-3 ft.</td> <td></td> <td></td>	chinensis albovariegata	21/2-3 ft.		
chinensis stricta       15-18 in.       .65       6.00         chinensis stricta       2-2½ ft.       2.25       20.00         squamata       3 ft. spread.       2.50       22.50         squamata meyeri       1½-2 ft.       2.75       25.00         virginiana       5-6 ft.       3.50       30.00         virginiana glauca       5-6 ft.       4.50       42.50         virginiana schotti       5-6 ft.       4.50       42.50         communis depressa plumosa       1-1½ ft.       1.25       10.00         RETINOSPORA obtusa crippsi       2-2½ ft.       3.00       22.50         obtusa gracilis       2-2½ ft.       3.00       22.50         squarrosa veitchi       18-24 in.       .70       6.50         PINUS mugho       12-18 in.       .80       7.50         mugho       8-12 in.       .60       5.50         THUJA occidentalis       20-24 in.       .45       4.00         occidentalis       20-24 in.       .45       4.00         occidentalis       3-4 ft.       1.10       10.00         lobbi atrovirens       2½-3 ft.       .35       5.00         standishi       18-24 in.       1.10	chinensis stricta	12-15 in.	.60	5.00
chinensis stricta       2-2½ ft.       2.25       20.00         squamata       3 ft. spread.       2.50       22.50         squamata meyeri       1½-2 ft.       2.75       25.00         virginiana       5-6 ft.       3.50       30.00         virginiana glauca       5-6 ft.       4.50       42.50         virginiana schotti       5-6 ft.       4.50       42.50         communis depressa plumosa       1-1½ ft.       1.25       10.00         RETINOSPORA obtusa crippsi       2-2½ ft.       3.00       22.50         obtusa gracilis       2-2½ ft.       3.00       22.50         squarrosa veitchi       18-24 in.       .70       6.50         PINUS mugho       12-18 in.       .80       7.50         mugho       8-12 in.       .60       5.50         THUJA occidentalis       20-24 in.       .45       4.00         occidentalis       20-24 in.       .45       4.00         occidentalis       3-4 ft.       1.10       10.00         lobbi atrovirens       2½-3 ft.       1.35       12.50         globosa       12-15 in.       .55       5.00         standishi       18-24 in.       1.10       10				
squamata meyeri       1½-2 ft. 2.75 25.00         virginiana       5-6 ft. 3.50 30.00         virginiana glauca       5-6 ft. 4.50 42.50         virginiana schotti       5-6 ft. 4.50 42.50         communis depressa plumosa       1-1½ ft. 1.25 10.00         RETINOSPORA obtusa crippsi       2-2½ ft. 3.00 22.50         obtusa gracilis       2-2½ ft. 3.00 22.50         squarrosa veitchi       18-24 in. 70 6.50         PINUS mugho       12-18 in. 80 7.50         mugho       8-12 in. 60 5.50         PICEA excelsa       2½-3 ft. 90 8.50         THUJA occidentalis       20-24 in. 45 4.00         occidentalis       3-4 ft. 1.10 10.00         lobbi atrovirens       2½-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi       18-24 in. 1.10 10.00         TAXUS baccata washingtoni       15-18 in. 1.60 15.00	chinensis stricta	2- $2^{1}/_{2}$ ft.		
virginiana       5-6       ft.       3.50       30.00         virginiana glauca       5-6       ft.       4.50       42.50         virginiana schotti       5-6       ft.       4.50       42.50         communis depressa plumosa       1-1½ ft.       1.25       10.00         RETINOSPORA obtusa crippsi       2-2½ ft.       3.00       22.50         obtusa gracilis       2-2½ ft.       3.00       22.50         squarrosa veitchi       18-24 in.       .70       6.50         PINUS mugho       12-18 in.       .80       7.50         mugho       8-12 in.       .60       5.50         PICEA excelsa       2½-3 ft.       .90       8.50         THUJA occidentalis       20-24 in.       .45       4.00         occidentalis       2-3 ft.       .85       7.50         occidentalis       3-4 ft.       1.10       10.00         lobbi atrovirens       2½-3 ft.       1.35       12.50         globosa       12-15 in.       .55       5.00         standishi       18-24 in.       1.10       10.00         TAXUS baccata washingtoni       15-18 in.       1.60       15.00				
virginiana glauca       5-6 ft. 4.50 42.50         virginiana schotti       5-6 ft. 4.50 42.50         communis depressa plumosa       1-1½ ft. 1.25 10.00         RETINOSPORA obtusa crippsi       2-2½ ft. 3.00 22.50         obtusa gracilis       2-2½ ft. 3.00 22.50         squarrosa veitchi       18-24 in70 6.50         PINUS mugho       12-18 in80 7.50         mugho       8-12 in60 5.50         PICEA excelsa       2½-3 ft90 8.50         THUJA occidentalis       20-24 in45 4.00         occidentalis       2-3 ft85 7.50         occidentalis       3-4 ft. 1.10 10.00         lobbi atrovirens       2½-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi       18-24 in. 1.10 10.00         TAXUS baccata washingtoni       15-18 in. 1.60 15.00	squamata meyeri			
virginiana schotti.       5-6 ft. 4.50 42.50         communis depressa plumosa.       1-1½ ft. 1.25 10.00         RETINOSPORA obtusa crippsi.       2-2½ ft. 3.00 22.50         obtusa gracilis.       2-2½ ft. 3.00 22.50         squarrosa veitchi.       18-24 in70 6.50         PINUS mugho.       12-18 in80 7.50         mugho.       8-12 in60 5.50         PICEA excelsa.       2½-3 ft90 8.50         THUJA occidentalis.       20-24 in45 4.00         occidentalis.       2-3 ft85 7.50         occidentalis.       3-4 ft. 1.10 10.00         lobbi atrovirens       2½-3 ft. 1.35 12.50         globosa.       12-15 in55 5.00         standishi.       18-24 in. 1.10 10.00         TAXUS baccata washingtoni.       15-18 in. 1.60 15.00	virginiana	5-6 ft.		
communis depressa plumosa       1-11/2 ft. 1.25 10.00         RETINOSPORA obtusa crippsi.       2-21/2 ft. 3.00 22.50         obtusa gracilis.       2-21/2 ft. 3.00 22.50         squarrosa veitchi       18-24 in70 6.50         PINUS mugho.       12-18 in80 7.50         mugho.       8-12 in60 5.50         PICEA excelsa.       21/2-3 ft90 8.50         THUJA occidentalis.       20-24 in45 4.00         occidentalis.       2-3 ft85 7.50         occidentalis.       3-4 ft. 1.10 10.00         lobbi atrovirens       21/2-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi       18-24 in. 1.10 10.00         TAXUS baccata washingtoni       15-18 in. 1.60 15.00	virginiana glauca	5-6 ft		
RETINOSPORA obtusa crippsi.       2-2½ ft. 3.00 22.50         obtusa gracilis.       2-2½ ft. 3.00 22.50         squarrosa veitchi       18-24 in. 70 6.50         PINUS mugho.       12-18 in. 80 7.50         mugho.       8-12 in. 60 5.50         PICEA excelsa.       2½-3 ft. 90 8.50         THUJA occidentalis.       20-24 in. 45 4.00         occidentalis.       2-3 ft. 85 7.50         occidentalis.       3-4 ft. 1.10 10.00         lobbi atrovirens       2½-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi.       18-24 in. 1.10 10.00         Taxus baccata washingtoni.       15-18 in. 1.60 15.00	communis depressa plumosa	1-11/2 ft.		
obtusa gracilis       2-2½ ft.       3.00       22.50         squarrosa veitchi       18-24 in.       .70       6.50         PINUS mugho       12-18 in.       .80       7.50         mugho       8-12 in.       .60       5.50         PICEA excelsa       2½-3 ft.       .90       8.50         THUJA occidentalis       20-24 in.       .45       4.00         occidentalis       2-3 ft.       .85       7.50         occidentalis       3-4 ft.       1.10       10.00         lobbi atrovirens       2½-3 ft.       1.35       12.50         globosa       12-15 in.       .55       5.00         standishi       18-24 in.       1.10       10.00         Taxus baccata washingtoni       15-18 in.       1.60       15.00	Retinospora obtusa crippsi	2- $2^{1/2}$ ft.	3.00	
squarrosa veitchi       18-24 in.       .70       6.50         PINUS mugho       12-18 in.       .80       7.50         mugho       8-12 in.       .60       5.50         PICEA excelsa       2½-3 ft.       .90       8.50         THUJA occidentalis       20-24 in.       .45       4.00         occidentalis       2-3 ft.       .85       7.50         occidentalis       3-4 ft.       1.10       10.00         lobbi atrovirens       2½-3 ft.       1.35       12.50         globosa       12-15 in.       .55       5.00         standishi       18-24 in.       1.10       10.00         Taxus baccata washingtoni       15-18 in.       1.60       15.00	obtusa gracilis	2-2 $\frac{1}{2}$ ft.		
mugho.       8-12 in.       .60       5.50         PICEA excelsa.       21/2-3 ft.       .90       8.50         THUJA occidentalis.       20-24 in.       .45       4.00         occidentalis.       2-3 ft.       .85       7.50         occidentalis.       3-4 ft.       1.10       10.00         lobbi atrovirens       21/2-3 ft.       1.35       12.50         globosa       12-15 in.       .55       5.00         standishi       18-24 in.       1.10       10.00         Taxus baccata washingtoni       15-18 in.       1.60       15.00	squarrosa veitchi			
PICEA excelsa       2½-3 ft90 8.50         THUJA occidentalis       20-24 in45 4.00         occidentalis       2-3 ft85 7.50         occidentalis       3-4 ft. 1.10 10.00         lobbi atrovirens       2½-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi       18-24 in. 1.10 10.00         Taxus baccata washingtoni       15-18 in. 1.60 15.00	Pinus mugho			7.50
THUJA occidentalis       20-24 in.       .45 4.00         occidentalis       2-3 ft.       .85 7.50         occidentalis       3-4 ft.       1.10 10.00         lobbi atrovirens       2½-3 ft.       1.35 12.50         globosa       12-15 in.       .55 5.00         standishi       18-24 in.       1.10 10.00         Taxus baccata washingtoni       15-18 in.       1.60 15.00	mugho	8-12 in.		
occidentalis         2-3 ft         .85 7.50           occidentalis         3-4 ft         1.10 10.00           lobbi atrovirens         2½-3 ft         1.35 12.50           globosa         12-15 in         .55 5.00           standishi         18-24 in         1.10 10.00           Taxus baccata washingtoni         15-18 in         1.60 15.00	PICEA excelsa	20.24  in		
occidentalis       3-4 ft. 1.10 10.00         lobbi atrovirens       2½-3 ft. 1.35 12.50         globosa       12-15 in55 5.00         standishi       18-24 in. 1.10 10.00         Taxus baccata washingtoni       15-18 in. 1.60 15.00	I HUJA occidentalis	2-3 ft		
lobbi atrovirens       2½-3 ft.       1.35 12.50         globosa       12-15 in.       .55 5.00         standishi       18-24 in.       1.10 10.00         Taxus baccata washingtoni       15-18 in.       1.60 15.00	occidentalis	3-4 ft.		
globosa 12-15 in .55 5.00 standishi 18-24 in .1.10 10.00 Taxus baccata washingtoni 15-18 in .1.60 15.00	lobbi atrovirens	21/2-3 ft.		12.50
standishi 18-24 in. 1.10 10.00 Taxus baccata washingtoni 15-18 in. 1.60 15.00	globosa			
Taxus baccata washingtoni	standishi	18-24 in.		
cuspidata	Taxus baccata washingtoni	- 15 10 :	1.60	15 (10)

#### **DECIDUOUS STOCK**

			10	100	1000
Euonymus alatus	. 18-24	in.		\$18.00	
alatus	.21/2-3	ft.	\$3.00	25.00	\$225.00
alatus	. 3-4	ft.	4.00	35.00	
yedoensis	. 10-15	in.		8.00	
yedoensis	. 15-20	in.		15.00	
yedoensis			3.00	25.00	
yedoensis, 2 year seedlings				4.00	35.00
Cornus mascula	. 20-24	in.	3.25	30.00	
mascula	. 15-20	in.		10.00	90.00
mascula	. 10-15	in.		8.00	70.00
CHIONANTHUS virginica, white fringe	. 4-8	in.		6.00	50.00
Magnolia halleana stellata, B&B					
soulangeana, B&B	. 18-22	in.	15.00		
kobus, B&B	. 18-24	in.	8.00		
Aronia arbutifolia	. 4	ft.	4.50		
CRATAEGUS, double red and double white.	. 4-5	ft.	10.00		
mollis	. 4-5	ft.	10.00		

#### **TERMS**

Usual terms to customers of established credit; all others, cash or satisfactory references.

Prepayment of 25 per cent required on all C. O. D. shipments.

Delivery of newly grafted stock after April 15th.

Packing free on cash orders; credit orders at cost.

Quantities of 250, 25, or 5 of any kind will be furnished at the 1000, 100, or 10 rates, respectively.

# MAC-SCHMIDT NURSERIES

ALLENDALE, NEW JERSEY

Telephone, Allendale 3260



